15 Usala, T., Clavenna, A., Zuddas, A. & Bonati, M. 2008. Randomised Controlled Trials of Selective Seretonin Reuptake Inhibitors in Treating Depression in Children and Adolescents: A Systemic Review and Meta-Analysis. European Neuropsychopharmacology. 18(1):62-73.

Study	Interview				Scales					Study inclusion criteria
	K-SADS	CDRS-R <sup>a</sup>	DICA	Others	MADRS	CGI	HAM-D	CDI	Others	
Simeon et al. (1990)						▼	▼		▼	HAM-D≥20
Emslie et al. (1997)	Х	▼	Х			▼				CDRS-R > 40
Emslie et al. (2002)		▼	Х	X	X					CDRS-R > 40; CGI-S $\geq$ 4
March et al. (2004)	Х	▼		X		▼				$CDRS-R \ge 45$
Braconnier et al. (2003)					▼	▼	X			MADRS $\geq 24$
Keller et al. (2001)							▼			HAM-D $\geq$ 12; CGAS < 60
Berard et al. (2006)	▼				▼					MADRS $\geq$ 16; CGAS < 69
Emslie et al. (2006b)	Х	▼							X	$CDRS-R \ge 45$
Wagner et al. (2004)	Х	▼								$CDRS-R \ge 40$
Von Knorring et al. (2006)	▼				X					$BDI \ge 21 (F); \ge 16 (M); GAF \le 60$
Wagner et al. (2003)	Х	▼								$CDRS-R \ge 45; CGI-S \ge 4$
Wagner et al. (2006)	Х	▼								$CDRS-R \ge 40$

## Table 2: Assessment tools and inclusion criteria used in the reviewed RCTs

 $\blacksquare$  used as primary efficacy measure;  $\square$  used as secondary efficacy measure.

K-SADS = Kiddie Schedule for Affective Disorders and Schizophrenia; CDRS-R = Children's Depression Rating Scale-Revised; DICA = Diagnostic Interview for Children and Adolescents; MADRS = Montgomery Åsberg Depression Rating Scale; CGI = Clinical Global Impressions; CGI-S = Clinical Global Impressions Severity; CGAS = Children's Global Assessment Scale; HAM-D = Hamilton Rating Scale for Depression; BDI = Beck Depression Inventory; GAF = Global Assessment of Function.

<sup>a</sup> Used as measure of severity.